2016

PRODUCT CATALOG

IMAGINE WHAT'S POSSIBLE™

daltile®

IMAGINE WHAT'S POSSIBLE™

IMAGINE WHAT'S POSSIBLE™

It's not just tile. It's how we make a space our own, giving form to imagination and reflecting who we are. It's that extraordinary touch that creates a long-lasting kitchen backsplash, a luxurious bath, a simple office, or breath-taking grand hotel lobby. With our extensive selection of quality products, unsurpassed service and trusted attention to every detail, only Daltile provides the confidence to design, build and enjoy the spaces in which we live, work and play, inviting customers to experience the extraordinary every day.

ICON SYSTEM

Look for these symbols throughout the catalog to see what added features and benefits are included in our products.

POST-CONSUMER RECYCLED MATERIALS

Indicates the use of post-consumer recycled material content in a product. Visit daltile.com/LEED to find exact percentage information.

PRE-CONSUMER RECYCLED MATERIALS

Indicates the use of pre-consumer recycled material content in a product. Visit daltile.com/LEED to find exact percentage information.

MADE IN THE USA

When your project goals require sourcing of materials made in the United States, look for this symbol to help you determine which of our product lines help you meet that standard.*

*Icon indicates that all or select items within a series are made in the USA.

REVEAL IMAGING®

This state-of-the-art digital printing process produces realistic color, detail and veining that is unique on every single tile, for a look that's virtually indistinguishable from natural stone.

LINEAR OPTIONS™

Products can be custom cut into linear and rectangular sizes for unique designs, with straight or beveled edges in a variety of rectangular shapes.

TRU-EDGE™

Tru-Edge products mean each tile is rectified which allows for the use of smaller grout joints and even more design flexibility.

VISUAL IMAGING™

A precise, digital application process that creates depth and adds texture to achieve intricate visual effects.

STEPWISE™

A revolutionary technology that provides superior slip resistance on interior surfaces while being exceptionally easy to clean.

CERTIFIED PORCELAIN™ TILE
0.5% or less water absorption

Indicates products certified by the Porcelain Tile Certification Agency. Daltile is committed to providing only the highest quality porcelain products.

[PTS] – Professional Tile Solutions

TABLE OF CONTENTS

ABOUT DALTILE

Imagine What's Possible™
Timeline 4-5

INNOVATIVE IDEAS

Greenworks 6-7
Reveal Imaging® 8
StepWise Technology™ 9
Visual Imaging™ 10

PORCELAIN & QUARRY

COLORBODY™ PORCELAIN

Acacia Valley 40-43
Bay Bridge 66-67
Bee Hive [PTS] 30-31
City View 102-103
Cliff Pointe 108-109
Continental Slate 104-107
Diamante 114-115
EC1 80-83
Ever 70-73
Exhibition 48-51
Fabrique 98-99
Forest Park 60-63
Formula 14-15
Imagica 52-55
Industrial Park 36-39
Invoke 78-79
Kimona Silk 100-101
Metal Fusion [PTS] 96-97
P'Zazz [PTS] 94-95
Pietra Jura [PTS] 64-65
Plaza Nova 116
Porcealto 112-113
Portfolio 26-29
River Marble 32-35
Santino 68-69
Season Wood 44-47
Spark 84-85
Stone Attaché
- Ambassador 16-19
- Consulate 22-23
- Dignitary 20-21
- Haut Monde 24-25

Terra Antica 110-111
Terrace [PTS] 86-87
Timber Glen [PTS] 88-89
Torreon 117
Unity 74-77
Valor 56-59
Veranda Solids & Tones 90-93

GLAZED PORCELAIN

Affinity 118-119
Alessi 153
Avondale 132-135
Ayers Rock 150-152
Concrete Connection 162-163
Cortona 142-143
Cotto Contempo 130-131
Esta Villa 147-149
Exquisite 136-139
Fidenza 160-161
Florentine 144-146
Franciscan Slate 156-157
Linden Point 124-125
Porada 140-141
Saddle Brook 128-129
San Michele 158-159
Volume 1.0 120-123
Yacht Club 154-155
Yorkwood Manor 126-127

QUARRY

Quarry Textures 165
Quarry Tile 164
Saltillo 168-169
Suretread & Pavers 166-167

CERAMIC FLOOR & WALL

Brickwork 172-173
Brixton 198-199
Cannes 181
Cape Coast 182
Danzare 183
Emblem 186-187
Heathland 188-189
Marble Falls 178-180
Natural Hues 200-203
Parkway 184-185
Salerno 190-193
Sandalo 194-195
Sierra 200
Skybridge 174-177
Stratford Place 196-197

SLIMLITE WALL TILE

Slimlite Porcelain Panels 206-209
Slimlite Slate & Quartzite 210-211

GLAZED WALL & COUNTER

Artigiano 214-215
Bath Accessories 240-241
Composition 222-223
Elevare 216-217
Festiva 232-235
Liners 231
Matte 229
Modern Dimensions 224-227
Polaris 239
Rittenhouse Square 236-238
Semi-Gloss 228
Semi-Gloss and Matte Trim 230
Showscape 218-221

MOSAIC TILE FLOOR & WALL

Coastal Keystones 250-253
Keystones 244-249
Octagon & Dot 256-257
Permabrites 255
Permatones 254

GLASS, METAL & DECORATIVE ACCENTS

Armor 336-337
Caprice [PTS] 286-287
Castle Metals 332-335
Circuit [PTS] 294-295
City Lights [PTS] 310-315
Clio 270-271
Color Wave 274-277
Cristallo Glass 328-329
Crystal Shores 260-261
Egyptian Glass 322-323
Elemental Glass 326-327
Endeavors [PTS] 298-299
Fashion Accents 304-309
Glass Horizons 272-273
Glass Mosaics 324-325
Granite Radiance [PTS] 302-303
Intertwine [PTS] 296-297
Ion Metals 338-341
Illustrations 316-317
Jewel Tide [PTS] 268-269
Marvel [PTS] 288-289
Massalia 348-349
Metallica [PTS] 346-347
Mosaic Traditions 278-279
Olympus Slate [PTS] 300-301
Opulence [PTS] 290-291
Retro Rounds [PTS] 266-267
Serenade [PTS] 284-285
Soiree [PTS] 292-293
Stone Radiance 318-321
Structure 330-331
Tiger Eye 280-283
Uptown Glass 262-265
Urban Metals 342-345

NATURAL STONE

Granite 402-409
Limestone 388-401
Marble 350-371
Slate 410-419
Stacked Stone 420-421
Travertine 372-387

NATURAL STONE SLABS

Dimensional Stone 466-467
Edge Treatments 464-465
Granite Slabs 444-455
Limestone Slabs 463
Marble/Onyx Slabs 456-462
Quartzite Slabs 462
Soapstone Slabs 463
Travertine Slabs 462

WINDOWSILL & THRESHOLDS 469

NATURAL STONE PATTERNS 422-427

NATURAL STONE DECORATIVE ACCENTS 428-433

NATURAL STONE MEDALLIONS

Special Order 438-441
Stone 436-437

ONE QUARTZ SURFACES®

Geo Flecks 476-477
Micro Flecks 474-475
Nature Flecks 472-473

TECHNICAL INFO & WARRANTY

Care & Maintenance 481-483
Factors To Consider 484
Installation Products 481
Legal & Warranty Info 485
Porcelain/Ceramic Test Results 480

SERVICES & USEFUL INFO

Architectural Programs 502
Daltile Galleries & Studios 506
Digital Resources 491
Index 527
Linear Options 488
SSCs, Galleries & Stone Showrooms 504-505
Tile Effects Design Services 489
Tile Pattern Guide 493-500
Stone Usage Guide 507-525

Unless otherwise indicated on product-specific page, products are not for use on ramps. All products manufactured in accordance with ANSI 137.1 standards.

Color samples (as shown) may not be an exact match. Dal-Tile Corporation explicitly disclaims any liability resulting from product selections that rely solely upon the color samples provided herein. Contact your Daltile representative for actual product samples prior to selection.

daltile®
IMAGINE WHAT'S POSSIBLE™



With a complete line of tile as beautiful and boundless as your imagination, every moment is filled with possibility. Find your inspiration and transform any space with Daltile.

daltile®

IMAGINE WHAT'S POSSIBLE™

DALTILE HAS THE SOLUTION FOR ALMOST ANY HARD SURFACE APPLICATION OR NEED.

- ColorBody™ Porcelain Tile
- Glazed Porcelain Tile
- Quarry Tile
- Ceramic Floor and Wall Tile
- Wall & Counter Tile
- Mosaic Tile
- Glass & Metal Tile
- Decorative Accents
- Recycled Floor Tile
- Recycled Glazed Floor Tile
- SlimLite™
- Natural Stone Tile & Slabs
- ONE Quartz Surfaces®

DALTILE.COM

1947
Robert M. Brittingham founded the Dallas Ceramic Company while operating out of a simple Quonset hut in Dallas, TX.

1955
Juan R. Brittingham forms Ceramica Regiomontana, S.A. to manufacture ceramic tile in Monterrey, Mexico for sale in Mexico and the U.S. The company also opens its first Sales Service Center in Tampa, FL.

1977
The 50th Sales Service Center opens in Reno, NV.

1980
Dallas Ceramic Company changes its name to Dal-Tile Corporation. Dal-Tile purchases Keystone Ridgeway, a manufacturer of unglazed ceramic mosaic tiles.

Delivering exceptional products . . .

2002
Mohawk Industries acquires Dal-Tile Corporation.

2003
Dal-Tile opens its newest glazed porcelain manufacturing plant in Muskogee, OK.

2007
Dal-Tile launches its Exterior Collection of tiles including ColorBody™ Porcelain, Stone Pavers and more.

2010
Dal-Tile launches completely new Natural Stone Collection.



1987
Dal-Tile opens its 100th Sales Service Center in Daytona Beach, FL.

1999
Dal-Tile unveils its eagerly anticipated Natural Stone Collection. Dal-Tile opens the first Tile & Stone Gallery in Dallas, TX.

2000
Dal-Tile enters a joint venture with Italian tile maker Emil Ceramica.

and customer service since 1947

2010
Mohawk invests in Sanfi Ceramics, a leading manufacturer of ceramic tile in China, to further expand its international presence.

2013
Mohawk Industries acquires the Marazzi Group.

2014
Dal-Tile introduces StepWise™, a new technology that provides superior slip resistance and cleanability.

2015
Daltile relaunches its brand.

daltile®
IMAGINE WHAT'S POSSIBLE™

GREENWORKS™

PROTECTED BY DESIGN

Daltile stands for beautiful design in every way possible.

Because we believe the best design includes consideration for the environment, we've introduced Greenworks™, a belief that we can help create beautiful designs in ways that may also reduce environmental impact.

Daltile Greenworks is more than just a compilation of our sustainability programs – it's a company-wide philosophy, a commitment to help contribute to the design of your sustainable projects without compromising your artistic vision.

1 COMMITMENT TO USING RECYCLED MATERIALS IN OUR PRODUCTS

Post-Consumer: Select floor tiles contain over 15% post-consumer recycled materials.

Pre-Consumer: Over 97% of our manufactured products contain qualifying pre-consumer recycled materials.

2 WASTES DIVERTED FROM LANDFILLS



The total amount of wastes diverted from landfills over the last five years as a result of Dal-Tile's process operations is over 1.3 billion pounds. That is 250 million pounds every year.

Equivalent to 100,000 cars (based on a 2,500 lb car), which at an average length of 18 feet placed bumper-to-bumper, would stretch over 342 miles – greater than the width of Arkansas.

WATER CONSERVATION 3

Over 90 million gallons of wastewater are recovered and reused during the manufacturing process annually.

ENERGY REDUCTION 4

x 2,000

x 750

MANUFACTURING PLANTS
Dal-Tile's combined efforts in Natural Gas and Electricity Conservation have reduced usage amounts equal to what it would take to provide natural gas to over 2,000 homes and electricity to over 750 homes for an entire year.

SSCs AND RDCs–Capital projects have led to improvements in energy efficiencies at our 250+ sales & distribution centers that will save 11 million kilowatts of electricity per year.

daltile greenworks™
ENVIRONMENTAL LEADERSHIP THAT WORKS

WHAT IS LEED®?

LEED is a set of guidelines for environmentally-sustainable design and construction. This voluntary building certification program was established by the U.S. Green Building Council to give architects, designers and builders measurable environmental objectives.

DALTILE PRODUCTS CAN HELP OBTAIN 10 POTENTIAL LEED® 2009 (AKA, VERSION 3) POINTS

in these categories:

POINTS	CREDIT #	ACTIVITY / ACTION / MATERIALS
2	MR 2	Construction Waste Management
2	MR 4	Recycled Content
2	MR 5	Regional Materials
1	IEQ 3.2	Construction Indoor Air Quality Mgmt Plan - Before Occupancy
1	IEQ 4.1	Low-Emitting Materials - Adhesives & Sealants
1	IEQ 4.2	Low-Emitting Materials - Paints & Coatings
1	IEQ 4.3	Low-Emitting Materials - Flooring Systems

VISIT OUR DEDICATED WEBSITES FOR MORE INFORMATION.

DALTILEGREENWORKS.COM



Learn about our Greenworks program and Daltile's commitment to environmentally-friendly practices

DALTILE.COM/LEED

Get real-time information on the following:

- Search by actual amount of pre- and/or post-consumer recycled material content. Find the manufacturing/ materials location within a 500-mile radius of your location
- Search by product category to find all available series within a specific category that may help earn LEED® credits
- Customize LEED® certification letters by product
- Downloadable life cycle cost study

LEED and the related logo is a registered trademark owned by the U.S. Green Building Council and is used with permission.

REVEAL IMAGING®

STATE-OF-THE-ART IMAGING PROCESS

Photos from left to right, San Michele, Franciscan Slate and Ayers Rock - all featuring Reveal Imaging™.

Unveil the beauty of nature. Daltile is proud to bring you the most realistic natural stone visual possible on a tile surface: Reveal Imaging. Another innovative solution from Daltile.

THE LOOK OF STONE. THE PERFORMANCE OF TILE.

This state-of-the-art digital printing process produces realistic color, detail and veining that is unique on every single tile, for a look that's virtually indistinguishable from natural stone.

EASE OF MAINTENANCE

Maintenance made simple on an easy-to-clean tile surface with a look that's virtually indistinguishable from natural stone.

INCREDIBLE IMAGING

Through this digital printing process, incredible color, detail and veining are uniquely and beautifully produced on every tile.

DURABILITY

Ideal for high-traffic areas where the aesthetic of stone is desired but the performance and durability of porcelain tile is required.



EMULATES NATURAL
STONE'S EVERY DETAIL

Look for this symbol associated with Daltile® products featuring Reveal Imaging.

Daltile Industrial Park™ with StepWise™ is featured.

BUILDING ON SOLUTIONS-BASED TECHNOLOGY

Once again, Daltile delivers the technology to meet the ever-changing needs of the marketplace allowing tile to expand into new applications.

MARKET INNOVATION

Patent-pending StepWise™ is a revolutionary technology that provides superior slip resistance while still being exceptionally easy to clean. StepWise™ allows tile to be safely used for a wider array of heavy commercial applications while remaining suitable for residential applications as well.

POWER TO GRIP

StepWise™ Technology provides a dynamic coefficient of friction (DCOF) that is among the highest in the market, yielding increased traffic and safety. The greater gripping power opens up so many new applications for tile.

EASE OF MAINTENANCE

Even in most commercial applications, this patent-pending technolgy combines slip resistance with superior cleanability to provide long-lasting beauty and performance.



GREATER GRIPPING POWER

Look for this symbol associated with Daltile® products with StepWise™.

The Daltile Showscape™ Collection with Visual Imaging™ is featured.

Through this new digital application process, Daltile achieves dynamic textures and enhanced visuals on tile surfaces with their new innovative Visual Imaging™ technology.

DALTILE TAKES TILE DESIGN TO A WHOLE NEW LEVEL

This state-of-the-art digital application process creates subtle height differences that enhance the tactile feel of the tile. At first glance it looks to have a soft color change, but once closer you can actually feel the slight impression in the tile.

With precise, digital application to specific areas of the tile, Visual Imaging™ creates depth and adds structure to achieve intricate visual effects that have a synchronized flow from tile to tile.

NEW HEIGHTS IN TILE DESIGN

The world of design has changed once again as this innovative new Visual Imaging™ technology provides a vast array of design options for commercial and residential projects alike.



A DIFFERENCE
YOU CAN FEEL

Look for this symbol associated with Daltile® products with Visual Imaging™.



Photo features Chevron, Reverse Dot and Square Lattice pattern in Stylish White.

PORCELAIN & QUARRY

Photo features Ever in Moon unpolished 24 x 48 in a special cut pattern and Unity in Coffee 24 x 24 polished in a grid pattern on the floor. Wall features Marble Crema Marfil 3/8 x random accent.

FORMULA™

COLORBODY™ PORCELAIN FLOOR

Beauty Grounded in Strength

- INNOVATION THAT ENDURES
  - Advanced double-layered technology allows optimum durability
  - Even high-traffic areas canc achieve exceptional style with this contemporary yet timeless look
- ENDLESS OPTIONS FOR INFINITE STYLE
  - Available in seven versatile colors in matte or polished finishes
  - Ideal for commercial, institutional or residential floor and wall applications
  - Offered in 12 x 24, 24 x 24, and 24 x 48 sizes with coordinating trim

FIELD TILE

THEOREM IVORY FM93

PLANES TAUPE FM98

EQUATION GREY FM96



AXIOM SILVER FM94



ROOTS BROWN FM97

INTERSECTION ANTHRACITE FM95

UNION BLACK FM99

CERTIFIED PORCELAIN TILE 0.5% or less water absorption

DYNAMIC C.O.F. (WET)
1 < 0.42
② ≥ 0.42 (Unpolished)

The higher the rating, the higher the slip resistance.

USAGE		
Floors	Walls	Countertops
F	W	C

Photo features Equation Grey in 24 x 24 on the floor.

Photo features Theorem Ivory in 12 x 24 on the floor.

SIZES

		Sq. Ft. Per Carton	Pieces Per Carton
24 x 48 Field Tile*	(23-7/16" x 47") (59.50 cm x 119.30 cm)	15.50	2
24 x 24 Field Tile*	(23-7/16" x 23-7/16") (59.50 cm x 59.50 cm)	11.64	3
12 x 24 Field Tile*	(11-11/16" x 23-7/16") (29.65 cm x 59.50 cm)	9.70	5

* Available in polished and unpolished surfaces

TRIM

Type	Number	Size	Pieces Per Carton
Bullnose*	S-43F9	3 x 24	14
Cove Base	S-36C9T	6 x 12	20
Cove Base Corner	SC-36C9T	1 x 6	10

Bullnose, cove base and cove base corner trim are intended to coordinate with floor tile in the standard 90-degree installation position.

* Available in polished and unpolished surfaces

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8"	1/8" (3/16" when multiple sizes are installed in a modular pattern, and when rectangular sizes are installed in a staggered brick-joint pattern; overlap should not exceed 33%)	Random (V4)

APPLICATIONS

Floor Applications	Target DCOF Wet	Suitable
Dry & Level - Interior	N/A	✓
Wet & Level - Interior	≥ 0.42	✓*
Exterior Applications, pool decking & other wet areas with minimal footwear	≥ 0.60	
Ramps & Inclines	≥ 0.65	

* Unpolished only

OTHER APPLICATIONS

	Suitable
Walls / Backsplashes	✓
Countertops	✓
Pool Linings	

In these applications, this tile is suitable for exterior applications in freezing and non-freezing climates when proper installation methods are followed.

Polished surface is suitable for dry and level floor applications only.

TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 300 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant

See page 482 for additional information on Test Results and Classifications.

See “Factors to Consider” and “Important Product Warranty Information” on pages 486-487.

THE STONE ATTACHÉ™ COLLECTION LEAVES VIRTUALLY NO STONE UNTURNED FOR CREATING BEAUTIFUL, IMAGINATIVE SPACES

Warm or cool, fossilized or intricately veined, stone offers infinite variety from nature. With the latest high-resolution technology, Daltile taps this primal resource to create some of the most extraordinary spaces imaginable. Four commanding stone look series with five distinctive visuals make up our new ColorBody™ porcelain Stone Attaché Collection.



Photo features Jet-Setter Dusk 24 x 48 field tile on the floor, 12 x 24 field tile on the wall and Jet-Setter Dusk random linear mosaic on the shower wall.

AMBASSADOR™

COLORBODY™ PORCELAIN FLOOR & MOSAIC

PART OF STONE ATTACHÉ™ COLLECTION

Display the Utmost Confidence with the Ambassador Series

- MODERN AND ELEGANT FLAIR
  - Elegant stone look available in four colors featuring a high level of veining and distinctive patterns
  - Three modern sizes including 24" x 24", 12" x 24" & 24" x 48"
- HEIGHTENED VERSATILITY
  - 12" X 24" available in light polished and unpolished finishes
  - Unique, three-dimensional 12 x 24 mosaic adds to the dynamics of this series

FIELD TILE

VOYAGER BLACK AM33

CERTIFIED PORCELAIN TILE 0.5% or less water absorption

JET-SETTER DUSK AM34

GLOBAL GREY AM35

WANDERLUST WHITE AM36

DYNAMIC C.O.F. (WET)
① < 0.42 (Light Polished)
② ≥ 0.42 (Unpolished)

The higher the rating, the higher the slip resistance.

USAGE		
Floors	Walls	Countertops
F	W	C

AMBASSADOR™

COLORBODY™ PORCELAIN FLOOR & MOSAIC
PART OF STONE ATTACHÉ™ COLLECTION

LINEAR MOSAICS

WANDERLUST WHITE AM36

GLOBAL GREY AM35



VOYAGER BLACK AM33

JET-SETTER DUSK AM34

SIZES

		Sq. Ft. Per Carton	Pieces Per Carton
24 x 48 Field Tile (Unpolished)	(23-7/16" x 47") (59.50 cm x 119.30 cm)	15.50	2
24 x 24 Field Tile (Unpolished)	(23-7/16" x 23-7/16") (59.50 cm x 59.50 cm)	11.64	3
12 x 24 Field Tile (Unpolished & Light Polished)	(11-11/16" x 23-7/16") (29.65 cm x 59.50 cm)	9.70	5
Random Linear Mosaic (Unpolished)	(12" x 24" Sheet)	7.76	4

TRIM

Type	Number	Size	Pieces Per Carton
Bullnose (Unpolished)	S-43F9	3 x 24	15
Cove Base	S-36C9T	6 x 12	20
Cove Base Corner	SC-36C9T	1 x 6	10

Bullnose and cove base trim are intended to coordinate with floor field tile in the standard 90-degree installation position.

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8"	1/8" (3/16" when multiple sizes are installed in a modular pattern and when rectangular sizes are used in a staggered brick-joint pattern; overlap should not exceed 33%)	Random (V4)

APPLICATIONS

Floor Applications	Target DCOF Wet	Suitable
Dry & Level - Interior	N/A	✓
Wet & Level - Interior	≥ 0.42	✓*
Exterior Applications, pool decking & other wet areas with minimal footwear	≥ 0.60	
Ramps & Inclines	≥ 0.65	

* Unpolished surfaces only

OTHER APPLICATIONS

	Suitable
Walls / Backsplashes	✓
Countertops	✓
Pool Linings	

For these applications, this tile is suitable for exterior applications in freezing and non-freezing climates only when proper installation methods are followed. Light polished surface is suitable only for dry and level floor applications.

TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 300 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant

See page 482 for additional information on Test Results and Classifications.

See "Factors to Consider" and "Important Product Warranty Information" on pages 486-487.

Photo features Jet-Setter Dusk random linear mosaic on the wall.

DIGNITARY™

COLORBODY™ PORCELAIN FLOOR & MOSAIC

PART OF STONE ATTACHÉ™ COLLECTION

Ageless and Innovative – the Dignitary Series

- REIMAGINING A CLASSIC
  - Small fossils and veining replicate the look of French limestone that has stood the test of time
  - Six rich neutral colors appeal to contemporary tastes
  - 2 cm thick tile available in 24 x 24 size and three colors
- AGELESS BEAUTY ANYWHERE
  - Light polished, unpolished and textured finishes in 12 x24 offer the ability to stretch designs from floors to walls, indoors, and out
  - Three large-format sizes plus an abstract mosaic all provide dimensional depth

FIELD TILE

LUMINARY WHITE DR07*

SUPERIOR TAUPE DR08*

NOTABLE BEIGE DR09*

EMINENCE GREY DR10



GOVERNOR BLACK DR11

HERALD BROWN DR12

*Available in 2 cm thickness in 24 x 24 size

CERTIFIED PORCELAIN TILE 0.5% or less water absorption

DYNAMIC C.O.F. (WET)
① < 0.42 (Light polished)
② ≥ 0.42 (Floor tile only – unpolished and textured)

The higher the rating, the higher the slip resistance.

USAGE		
Floors	Walls	Countertops
F	W	C

Photo features Superior Taupe 24 x 48 on the floor, Superior Taupe 12 x 24 on the left wall, Luminary White 12 x 24 on the right wall, and Superior Taupe abstract mosaic on the shower wall.

SIZES

		Sq. Ft. Per Carton	Pieces Per Carton
24 x 48 Field Tile (Unpolished)	(23-7/16" x 47") (59.50 cm x 119.30 cm)	15.50	2
24 x 24 Field Tile* (Unpolished)	(23-7/16" x 23-7/16") (59.50 cm x 59.50 cm)	11.64	3
24 x 24 Field Tile* (Unpolished 2 cm)	(23-7/16" x 23-7/16") (59.50 cm x 59.50 cm)	7.76	2
12 x 24 Field Tile (Unpolished, Light Polished, Textured)	(11-11/16" x 23-7/16") (29.65 cm x 59.50 cm)	9.70	5
Abstract Mosaic (Unpolished)	(12" x 12" sheet)	3.88	4

* Tile is available with 2cm thickness in 24 x 24 field tile in DR07, DR08 and DR09 only.

TRIM

Type	Number	Size	Pieces Per Carton
Bullnose (Unpolished)	S-43F9	3 x 24	15
Cove Base	S-36C9T	6 x 12	20
Cove Base Corner	SC-36C9T	1 x 6	10

Bullnose, cove base and cove base corner trim are intended to coordinate with floor field tile in the standard 90-degree installation position.

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8" (10 mm) 13/16" (20 mm) (24 x 24 only)	1/8" (3/16" when multiple sizes are installed in a modular pattern, and when rectangular sizes are installed in a staggered brick-joint pattern; overlap should not exceed 33%)	Random (V4)

APPLICATIONS

Floor Applications	Target DCOF Wet	Suitable
Dry & Level - Interior	N/A	✓
Wet & Level - Interior	≥ 0.42	✓*
Exterior Applications, pool decking & other wet areas with minimal footwear	≥ 0.60	✓**
Ramps & Inclines	≥ 0.65	

* Unpolished and textured surfaces only

** Textured surface only

OTHER APPLICATIONS

	Suitable
Walls / Backsplashes	✓
Countertops	✓
Pool Linings	✓§

For these applications, this tile is suitable for exterior applications in freezing and non-freezing climates only when proper installation methods are followed. Polished surface is suitable only for dry and level floor applications.

§ Mosaic tile only

TEST RESULTS

	ASTM#	10 mm Tile Result	20 mm Tile Result
Water Absorption	C373	< 0.5%	< 0.5%
Breaking Strength	C648	> 300 lbs	> 1000 lbs
Scratch Hardness	MOHS	8.0	8.0
Chemical Resistance	C650	Resistant	Resistant

See page 482 for additional information on Test Results and Classifications.

See "Factors to Consider" and "Important Product Warranty Information" on pages 486-487.

CONSULATE™

COLORBODY™ PORCELAIN FLOOR & MOSAIC

PART OF STONE ATTACHÉ™ COLLECTION

Embody the beauty and strength of stone with Consulate

- VISUAL STRENGTH
  - Antique visual conveys the smooth look of recovered, aged marble; Quartzite maximizes the intensity of quartzite's natural texture and richness
  - Both visuals offer unique and dramatic shade variations and veining to appeal to the most exquisite tastes
- SOPHISTICATED OPTIONS
  - Large format 12" x 24" & 24" x 48" tiles are offered
  - The Antique visual features a linear design; Quartzite offers a square mosaic with a high degree of color variation

FIELD TILE

PREMIER GREY ANTIQUE CS05

CERTIFIED PORCELAIN TILE 0.5% or less water absorption

CONCIERGE SAND ANTIQUE CS06

EMBASSY SILVER QUARTZITE CS07

LIASON BEIGE QUARTZITE CS08

DYNAMIC C.O.F. (WET)
1 < 0.42
② ≥ 0.42

The higher the rating, the higher the slip resistance.

USAGE		
Floors	Walls	Countertops
F	W	C

Photo features Concierge Sand Antique on the floor.

SIZES

		Sq. Ft. Per Carton	Pieces Per Carton
24 x 48 Field Tile (Unpolished)	(23-7/16" x 47") (59.50 cm x 119.30 cm)	15.50	2
12 x 24 Field Tile (Unpolished & Textured)	(11-11/16" x 23-7/16") (29.65 cm x 59.50 cm)	9.70	5
Random Linear Mosaic* (Unpolished)	(12" x 24 sheet")	7.76	4

*Available in Antique colors only.

TRIM

Type	Number	Size	Pieces Per Carton
Bullnose (Unpolished)	S-43F9	3 x 24	15
Cove Base	S-36C9T	6 x 12	20
Cove Base Corner	SC-36C9T	1 x 6	10

Bullnose, cove base and cove base corner trim are intended to coordinate with floor tile in the standard 90-degree installation position.

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8"	1/8" (3/16" when multiple sizes are installed in a modular pattern, and when rectangular size is installed in a staggered brick-joint pattern; overlap should not exceed 33%)	Random (V4)

APPLICATIONS

Floor Applications	Target DCOF Wet	Suitable
Dry & Level - Interior	N/A	✓
Wet & Level - Interior	≥ 0.42	✓
Exterior Applications, pool decking & other wet areas with minimal footwear	≥ 0.60	✓*
Ramps & Inclines	≥ 0.65	

*Textured surface only

OTHER APPLICATIONS

	Suitable
Walls / Backsplashes	✓
Countertops	✓
Pool Linings	

In these applications, this tile is suitable for exterior applications in freezing and non-freezing climates only when proper installation methods are followed.

TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 300 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant

See page 482 for additional information on Test Results and Classifications.

See "Factors to Consider" and "Important Product Warranty Information" on pages 486-487.

HAUT MONDE™

COLORBODY™ PORCELAIN FLOOR & MOSAIC

PART OF STONE ATTACHÉ™ COLLECTION

Haut Monde – The Warmth and Elegance of Sandstone

- NATURAL, CONTEMPORARY APPEAL
  - Soft, fine-grain natural sandstone look provides a uniform appearance that supports contemporary designs
  - Six modern hues with a range of cool and warm colors are available in two finishes for added design options
- ADDED DIMENSION
  - Three sizes highlighted by a 24" x 48" large format tile
  - Unique mosaic complements the soft look of Haut Monde floor tiles.

FIELD TILE

GLITTERATI GRANITE HM03

LEISURE BEIGE HM04

ELITE GREY HM05

EMPIRE BLACK HM06

ARISTOCRAT CREAM HM07

NOBILITY WHITE HM08

CERTIFIED PORCELAIN TILE
0.5% or less water absorption